Installing the New Restrack Mobile Application.

• Go to Google PlayStore

Search for the Application "Restrack Uganda" in PlayStore.



Install the Mobile Application On the phone.



How to Login to the RESTRACK Mobile Application.

1. Click on the RESTRACK mobile application from the phone screen.



The Current Mobile Application has an **OFFLINE MODE** (Can work with no internet Connectivity, except for **Delivering Sample Packages**)

- Open the Restrack Application and Login using the password and username provided to you by CPHL.
- Scan the QR Code at the facility where you are at currently.

10:10 🖬 2 🏵 🛪	िक तम तम 87% व	NO × UNHL × Intger × Sampl × Admin × J My Dr × UNHL × UNHL C Q I tracket cphhopmaa ong
Welcome to Restrack Ap	p	ANKOLE TEA H/C II Destina
Login		
Username Password	õ	
LOGIN		
Welcome		
		For Flash use volume up key
III O	<	

2. After Login the interface below appears.

≡ Home	:				
Pick unprepared sample package	>				
Scan packages that are not in the system	•				
Pick prepared sample package	>				
Pick samples already registered in the system	•				
Deliver sample package	>				
Deliver package of samples to designated location					
Repackage	>				
Pack packages into a new bigger container	•				
Deliver Results	>				
Deliver Results to facility or hub	÷				



How to Pick Samples

1. Unprepared Samples

These can be picked as a **"BATCH"** or **"INDIVIDUAL"**.

This option can be done in Offline Mode. Can Work With No Internet Connection on the Phone Picking Individual Samples.

10:08 ■ # 3 = Home	ار اربار 187% 	10:12 🖬 🐮 😰 📚 📖 🖉	II 87% 🖬
Pick unprepared sample package Scan packages that are not in the system Pick prepared sample package Pick samples already registered in the s Deliver sample package	n > ystem	Pick unprepared sample package Scan packages that are not in the system Pick prepared sample package Pick samples already registered in the system Deliver sample package	>
Deliver package of samples to designate Repackage Pack packages into a new bigger contain Deliver Results Deliver Results to facility or hub	ed location	Deliver package of samples to designated locat Repackage	ion >
			8
III O	<		

- **1. Select the Test Sample**
- 2. Select The Reference Lab from the List.
- 3. Scan The Package.



Add Samples to the Package By Clicking on the **ADD SAMPLE** Button

10:14 🖪 🖲 🦊		😫 🖘 .il .il 87% 💈
- Toot complex		
VL		•
Ref labs		
NHLS		•
2109281411		-
Package		
2109281412		Î
VL		-
ADD SAMPLE		SAVE PACKAGE
Ш	Ο	<

Click "ADD SAMPLE" according to the number of samples.

Click "SAVE PACKAGE".

Picking "BATCH" Samples.

Select Batch

- **1. Select Test Samples**
- 2. Select Reference Lab
- 3. Add Number Of Samples in the Batch



Scan the Package Barcode



Click <u>"SAVE PACKAGES"</u> after Scanning the packages.

2. <u>Prepared Samples.</u>

Click on the Pick **Prepared Samples** Option



Click "Save Packages" after Scanning All the Packages

Delivering Sample Packages. Click Deliver Sample Package

Select The Samples to be delivered and Click "DELIVER PACKAGES"

10:08 🖬 🥔 🔞 🕤	.il .il 87% 🖻	10:16 🖪 🖲 🦊		🗯 🖘 al al 87% 🖡
≡ Home	÷			
Pick unprepared sample package Scan packages that are not in the system Pick prepared sample package Pick samples already registered in the system Deliver sample package Deliver package of samples to designated loo Repackage Pack packages into a new bigger container Deliver Results Deliver Results to facility or hub	> m cation >	CPHL202005280 Current Location: Mito From: Mitooma H/C IV Final Dest: UNHLS	oma H/C IV	☐ Select al
		DELIV	'ER PACKAGE(S)	
	<	III	0	<

Repackage Click <u>"Repackage"</u>

"Select Test Type" and <u>"SCAN BIG PACKAGE"</u>

Scan Barcode of Parent Package and And The "ADD PACKAGE" and the "SAVE PACKAGE".

10:08 🖬 🦛 😰 🗟 .	il.al 87%₫	13:37 💐		😰 🖘 all all 95% 🖬	10:17 🔤 🖲 🦊		🏽 🗟 🖓 all all 87% 🕯
≡ Home	÷	Test samples —			Test samples		
Pick unprepared sample package Scan packages that are not in the system	>	Select test Ty	pe	•	VL		•
Pick prepared sample package Pick samples already registered in the system	>		SCAN BIG PACKAG	E	2109281412 Parent Package		Î
Deliver sample package Deliver package of samples to designated loc	> cation						
Repackage Pack packages into a new bigger container	>						
Deliver Results Deliver Results to facility or hub	>						
			Wifi enabled		ADD PACKA	AGE	SAVE PACKAGE
III O <		111	0	<		0	<

3. Deliver Results.

Click <u>"Deliver Results"</u>.

Click <u>"SCAN RESULTS"</u>

<u>Click "ADD RESULTS" and scan the barcodes of the RESULTS</u> and then CLICK "SEND RESULTS".

10:08 🖬 🥔 🧐	i 🖘 all all 87% 🖻	10:17	7 🖾 🕒 🥔		😰 🗟 ad al 87% 🖻	13:51	*		🕱 🗟 all all 100% 🗎
≡ Home	(t)	÷	RESTRA	ж		÷	RESTRAC	К	
Pick unprepared sample package Scan packages that are not in the system	>			SCAN RESULTS		210928	4619		ĩ
Pick prepared sample package Pick samples already registered in the sy	> stem					210920			
Deliver sample package Deliver package of samples to designate	> d location								
Repackage Pack packages into a new bigger contain	er								
Deliver Results Deliver Results to facility or hub	>								
Ш. О				0			ADD RESULTS		DELIVER RESULTS
				0	<		111	Ο	<

How to Refer Samples/Packages

- **1.** Login by Scanning the **HUB QR** code, this is done at the hub by the sample receptionist or Hub Coordinator.
- 2. Click the "**REFER SAMPLES**" button.

3. <u>"SELECT REFERENCE LAB"</u> and <u>"SCAN PACKAGE"</u> to be Referred and Click <u>"REFER PACKAGE(S)"</u>

14:05 🖲 🦨 👔 🏦 100	% 🗎 14:05 🖬 🕲 🥔	ചി ചി 100% 🖹 🦳 14:05 🖾 🕲 🥔
≡ Home	: ← RESTRACK	
Prepare Sample Package Prepare sample package to be picked Repackage Pack packages into a new bigger container	 Ref labs Select reference lab 	UVRI
Receive Packages Receive Packages from Driver/Rider	> SCAN PACKAGE	SCAN PACKAGE
Refer Packages	>	
SelectdWifRerfebRedckages	Wifi enabled	REFER PACKAGE(S)
	III O	< III O <